



# LA Testing

520 Mission Street South Pasadena, CA 91030  
Tel/Fax: (323) 254-9960 / (323) 254-9982  
<http://www.LATesting.com> / [pasadenalab@latesting.com](mailto:pasadenalab@latesting.com)

LA Testing Order: 322328034  
Customer ID: 32HEAL56  
Customer PO: 240037LA  
Project ID:

**Attention:** Joel Berman  
Health Science Associates  
10771 Noel Street  
Los Alamitos, CA 90720  
**Phone:** (714) 220-3922  
**Fax:**  
**Received Date:** 11/21/2023 08:00 AM  
**Analysis Date:** 11/21/2023 - 11/22/2023  
**Collected Date:** 11/20/2023  
**Project:** 240037LA/ Flagstone Park - 21 Flagstone Dr. Irvine, CA 92606

## Test Report: Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Appendix A to Subpart E

Sample	Location	Volume (Liters)	Area Analyzed (mm <sup>2</sup> )	Non Asb	Asbestos Type(s)	#Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration	
						≥0.5μ < 5μ	≥5μ		(S/mm <sup>2</sup> )	(S/cc)
231120-FS-01A 322328034-0001	East table area	1600.00	0.0516	8	None Detected	0	0	0.0047	<19.00	<0.0047
231120-FS-02A 322328034-0002	Center table area	1600.00	0.0516	6	None Detected	0	0	0.0047	<19.00	<0.0047
231120-FS-03A 322328034-0003	West table area	1600.00	0.0516	5	None Detected	0	0	0.0047	<19.00	<0.0047
231120-FS-04A 322328034-0004	Field blank	0.00	0.1290	0	None Detected	0	0	N/A	<7.80	N/A

Analyst(s)

Feng Liang (4)

Jerry Drapala Ph.D, Laboratory Manager  
or other approved signatory

LA Testing maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by LA Testing. LA Testing bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. Results reported in structures/cm3 are not covered by the laboratory's NVLAP accreditation. Measurement of uncertainty available upon request.

Samples analyzed by LA Testing South Pasadena, CA NVLAP Lab Code 200232-0

Report amended: 11/22/2023 11:50 AM Replaces amended report from: 11/21/2023 18:49 PM Reason Code: Client-Additional Analysis



# LA Testing

520 Mission Street South Pasadena, CA 91030  
Tel/Fax: (323) 254-9960 / (323) 254-9982  
<http://www.LATesting.com> / [pasadenalab@latesting.com](mailto:pasadenalab@latesting.com)

LA Testing Order: 322328035  
Customer ID: 32HEAL56  
Customer PO: 240037LA  
Project ID:

**Attention:** Joel Berman  
Health Science Associates  
10771 Noel Street  
Los Alamitos, CA 90720  
**Phone:** (714) 220-3922  
**Fax:**  
**Received Date:** 11/21/2023 08:00 AM  
**Analysis Date:** 11/21/2023 - 11/22/2023  
**Collected Date:** 11/20/2023  
**Project:** 240037LA/ Sweet Shade Park - 15 Sweet Shade, Irvine, CA 92606

## Test Report: Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Appendix A to Subpart E

Sample	Location	Volume (Liters)	Area Analyzed (mm <sup>2</sup> )	Non Asb	Asbestos Type(s)	#Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration	
						≥0.5μ < 5μ	≥5μ		(S/mm <sup>2</sup> )	(S/cc)
231120-SS-01A 322328035-0001	North east at community center	1340.00	0.0645	3	None Detected	0	0	0.0045	<16.00	<0.0045
231120-SS-02A 322328035-0002	East of community center	1340.00	0.0645	2	None Detected	0	0	0.0045	<16.00	<0.0045
231120-SS-03A 322328035-0003	South east of community center	1340.00	0.0645	0	None Detected	0	0	0.0045	<16.00	<0.0045
231120-SS-04A 322328035-0004	Field blank	0.00	0.1290	0	None Detected	0	0	N/A	<7.80	N/A

Analyst(s)

Feng Liang (4)

Jerry Drapala Ph.D, Laboratory Manager  
or other approved signatory

LA Testing maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by LA Testing. LA Testing bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. Results reported in structures/cm3 are not covered by the laboratory's NVLAP accreditation. Measurement of uncertainty available upon request.

Samples analyzed by LA Testing South Pasadena, CA NVLAP Lab Code 200232-0

Report amended: 11/22/2023 11:52 AM Replaces amended report from: 11/21/2023 18:50 PM Reason Code: Client-Additional Analysis



# LA Testing

520 Mission Street South Pasadena, CA 91030  
Tel/Fax: (323) 254-9960 / (323) 254-9982  
<http://www.LATesting.com> / [pasadenalab@lateesting.com](mailto:pasadenalab@lateesting.com)

LA Testing Order: 322328036  
Customer ID: 32HEAL56  
Customer PO: 240037LA  
Project ID:

**Attention:** Joel Berman  
Health Science Associates  
10771 Noel Street  
Los Alamitos, CA 90720  
**Phone:** (714) 220-3922  
**Fax:**  
**Received Date:** 11/21/2023 08:00 AM  
**Analysis Date:** 11/21/2023  
**Collected Date:** 11/20/2023  
**Project:** 240037LA/ Harvard Community Park 14701 Harvard Ave, Irvine, CA 92606

## Test Report: Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Appendix A to Subpart E

Sample	Location	Volume (Liters)	Area Analyzed (mm <sup>2</sup> )	Non Asb	Asbestos Type(s)	#Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration	
						≥0.5μ < 5μ	≥5μ		(S/mm <sup>2</sup> )	(S/cc)
231120-HC-01A	Community center exit north west	1270.00	0.0645	3	None Detected	0	0	0.0047	<16.00	<0.0047
322328036-0001										
231120-HC-02A	Community center exit north east area	1270.00	0.0645	0	None Detected	0	0	0.0047	<16.00	<0.0047
322328036-0002										
231120-HC-03A	Community center south near parking lot	1270.00	0.0645	6	None Detected	0	0	0.0047	<16.00	<0.0047
322328036-0003										

Analyst(s)

Feng Liang (3)

Jerry Drapala Ph.D, Laboratory Manager  
or other approved signatory

LA Testing maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by LA Testing. LA Testing bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. Results reported in structures/cm<sup>3</sup> are not covered by the laboratory's NVLAP accreditation. Measurement of uncertainty available upon request.

Samples analyzed by LA Testing South Pasadena, CA NVLAP Lab Code 200232-0

Initial report from: 11/21/2023 18:50 PM



# LA Testing

520 Mission Street South Pasadena, CA 91030  
Tel/Fax: (323) 254-9960 / (323) 254-9982  
<http://www.LATesting.com> / [pasadenalab@latesting.com](mailto:pasadenalab@latesting.com)

LA Testing Order: 322328037  
Customer ID: 32HEAL56  
Customer PO: 240037LA  
Project ID:

**Attention:** Joel Berman  
Health Science Associates  
10771 Noel Street  
Los Alamitos, CA 90720  
**Phone:** (714) 220-3922  
**Fax:**  
**Received Date:** 11/21/2023 08:00 AM  
**Analysis Date:** 11/22/2023  
**Collected Date:** 11/20/2023  
**Project:** 240037LA/ San Carlo Park - 15 San Carlo, Irvine, CA 92614

## Test Report: Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Appendix A to Subpart E

Sample	Location	Volume (Liters)	Area Analyzed (mm <sup>2</sup> )	Non Asb	Asbestos Type(s)	#Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration	
						≥0.5μ < 5μ	≥5μ		(S/mm <sup>2</sup> )	(S/cc)
231120-SC-01A	Southwest area of park (downwind) north sample	1240.00	0.0645	1	None Detected	0	0	0.0048	<16.00	<0.0048
322328037-0001										
231120-SC-02A	Southwest area of park (downwind) east sample near park	1240.00	0.0645	3	None Detected	0	0	0.0048	<16.00	<0.0048
322328037-0002										
231120-SC-03A	Southwest area of park (downwind) west sample at tables	1240.00	0.0645	0	None Detected	0	0	0.0048	<16.00	<0.0048
322328037-0003										
231120-SC-04A	Field blank	0.00	0.1290	0	None Detected	0	0	N/A	<7.80	N/A
322328037-0004										

Analyst(s)

Kyeong Corbin (4)

Jerry Drapala Ph.D, Laboratory Manager  
or other approved signatory

LA Testing maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by LA Testing. LA Testing bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. Results reported in structures/cm3 are not covered by the laboratory's NVLAP accreditation. Measurement of uncertainty available upon request.

Samples analyzed by LA Testing South Pasadena, CA NVLAP Lab Code 200232-0

Initial report from: 11/22/2023 07:34 AM



# LA Testing

5431 Industrial Drive Huntington Beach, CA 92649

Tel/Fax: (714) 828-4999 / (714) 828-4944

<http://www.LATesting.com> / [hblab@lateesting.com](mailto:hblab@lateesting.com)

LA Testing Order: 332320146

Customer ID: 32HEAL56

Customer PO: 240037LA

Project ID:

**Attention:** Joel Berman  
Health Science Associates  
10771 Noel Street  
Los Alamitos, CA 90720

**Phone:** (714) 220-3922

**Fax:**

**Received Date:** 11/21/2023 08:00 AM

**Analysis Date:** 11/21/2023

**Collected Date:** 11/20/2023

**Project:** 240037LA - Col. Bill Barber Marine Corps Memorial 4 Civic Center Plaza, Irvine, CA 92606

## Test Report: Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Appendix A to Subpart E

Sample	Location	Volume (Liters)	Area Analyzed (mm <sup>2</sup> )	Non Asb	Asbestos Type(s)	#Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration	
						≥0.5μ < 5μ	≥5μ		(S/mm <sup>2</sup> )	(S/cc)
231120-BB-01A	NORTH EAST AT BASEBALL PARK (DOWNWIND)	1250.00	0.0645	9	Chrysotile	1	0	0.0048	16.00	0.0048
332320146-0001										
231120-BB-02A	CENTER AT BASEBALL PARK (DOWNWIND)	1250.00	0.0645	8	None Detected	0	0	0.0048	<16.00	<0.0048
332320146-0002										
231120-BB-03A	SOUTH AREA AT BASEBALL PARK (DOWNWIND)	1250.00	0.0645	14	None Detected	0	0	0.0048	<16.00	<0.0048
332320146-0003										
231120-BB-04A	FIELD BLANK	0.00			Not Analyzed					N/A
332320146-0004										

Analyst(s)

Feng Liang (3)

Michael Chapman, Laboratory Manager  
or other approved signatory

LA Testing maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by LA Testing. LA Testing bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. Results reported in structures/cm<sup>3</sup> are not covered by the laboratory's NVLAP accreditation. Measurement of uncertainty available upon request.

Samples analyzed by LA Testing South Pasadena, CA NVLAP Lab Code 200232-0

Initial report from: 11/22/2023 07:49 AM



# LA Testing

5431 Industrial Drive Huntington Beach, CA 92649

Tel/Fax: (714) 828-4999 / (714) 828-4944

<http://www.LATesting.com> / [hblab@latesting.com](mailto:hblab@latesting.com)

LA Testing Order: 332320148

Customer ID: 32HEAL56

Customer PO: 240037LA

Project ID:

**Attention:** Joel Berman  
Health Science Associates  
10771 Noel Street  
Los Alamitos, CA 90720

**Phone:** (714) 220-3922

**Fax:**

**Received Date:** 11/21/2023 08:00 AM

**Analysis Date:** 11/21/2023 - 11/22/2023

**Collected Date:** 11/20/2023

**Project:** 230037LA - College Park - 14471 Mayten Ave, Irvine

## Test Report: Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Appendix A to Subpart E

Sample	Location	Volume (Liters)	Area Analyzed (mm <sup>2</sup> )	Non Asb	Asbestos Type(s)	#Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration	
						≥0.5μ < 5μ	≥5μ		(S/mm <sup>2</sup> )	(S/cc)
231120-CP-01A	EAST NEAR PLAYGROUND BENCH	1430.00	0.0645	4	None Detected	0	0	0.0042	<16.00	<0.0042
332320148-0001										
231120-CP-02A	EAST NEAR PLAYGROUND, WATER FOUNTAIN	1430.00	0.0645	3	None Detected	0	0	0.0042	<16.00	<0.0042
332320148-0002										
231120-CP-03A	EAST AT PLAYGROUND, BENCH	1430.00	0.0645	6	None Detected	0	0	0.0042	<16.00	<0.0042
332320148-0003										
231120-CP-04A	FIELD BLANK	0.00	0.1290	0	None Detected	0	0	N/A	<7.80	N/A
332320148-0004										

Analyst(s)

Feng Liang (4)

Michael Chapman, Laboratory Manager  
or other approved signatory

LA Testing maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by LA Testing. LA Testing bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. Results reported in structures/cm3 are not covered by the laboratory's NVLAP accreditation. Measurement of uncertainty available upon request.

Samples analyzed by LA Testing South Pasadena, CA NVLAP Lab Code 200232-0

Report amended: 11/22/2023 11:44 AM Replaces amended report from: 11/21/2023 17:57 PM Reason Code: Client-Additional Analysis



# LA Testing

5431 Industrial Drive Huntington Beach, CA 92649

Tel/Fax: (714) 828-4999 / (714) 828-4944

<http://www.LATesting.com> / [hblab@latesting.com](mailto:hblab@latesting.com)

LA Testing Order: 332320255

Customer ID: 32HEAL56

Customer PO: 240037LA

Project ID:

**Attention:** Joel Berman  
Health Science Associates  
10771 Noel Street  
Los Alamitos, CA 90720

**Phone:** (714) 220-3922

**Fax:**

**Received Date:** 11/22/2023 12:55 PM

**Analysis Date:** 11/24/2023

**Collected Date:** 11/22/2023

**Project:** 230037LA

## Test Report: Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Appendix A to Subpart E

Sample	Location	Volume (Liters)	Area Analyzed (mm <sup>2</sup> )	Non Asb	Asbestos Type(s)	#Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration	
						≥0.5μ < 5μ	≥5μ		(S/mm <sup>2</sup> )	(S/cc)
231122-SL-01A	EAST AT RESTROOM BLDG	1270.00	0.0635	0	None Detected	0	0	0.0048	<16.00	<0.0048
332320255-0001										
231122-SL-02A	NORTH EAST BASEBALL DIAMOND	1270.00	0.0635	0	None Detected	0	0	0.0048	<16.00	<0.0048
332320255-0002										
231122-SL-03A	EAST BETWEEN BASEBALL DIAMOND	1270.00	0.0635	0	None Detected	0	0	0.0048	<16.00	<0.0048
332320255-0003										
231122-SL-04A	FIELD BLANK	0.00			Not Analyzed					N/A
332320255-0004										

Analyst(s)

Mindy Le (3)

Michael Chapman, Laboratory Manager  
or other approved signatory

LA Testing maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by LA Testing. LA Testing bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. Results reported in structures/cm<sup>3</sup> are not covered by the laboratory's NVLAP accreditation. Measurement of uncertainty available upon request.

Samples analyzed by LA Testing Huntington Beach, CA NVLAP Lab Code 101384-0

Initial report from: 11/24/2023 08:35 AM



# LA Testing

5431 Industrial Drive Huntington Beach, CA 92649

Tel/Fax: (714) 828-4999 / (714) 828-4944

<http://www.LATesting.com> / [hblab@lateesting.com](mailto:hblab@lateesting.com)

LA Testing Order: 332320256

Customer ID: 32HEAL56

Customer PO: 240037LA

Project ID:

**Attention:** Joel Berman  
Health Science Associates  
10771 Noel Street  
Los Alamitos, CA 90720

**Phone:** (714) 220-3922

**Fax:**

**Received Date:** 11/22/2023 12:55 PM

**Analysis Date:** 11/24/2023

**Collected Date:** 11/22/2023

**Project:** 230037LA

## Test Report: Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Appendix A to Subpart E

Sample	Location	Volume (Liters)	Area Analyzed (mm <sup>2</sup> )	Non Asb	Asbestos Type(s)	#Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration	
						≥0.5μ < 5μ	≥5μ		(S/mm <sup>2</sup> )	(S/cc)
231122-PP-01A	SOUTH SIDE OF RESTROOM BLDG. EXTERIOR	1230.00	0.0635	0	None Detected	0	0	0.0049	<16.00	<0.0049
332320256-0001										
231122-PP-02A	SOUTH OF RESTROOM BLDG. AT PICNIC TABLE	1230.00	0.0635	0	None Detected	0	0	0.0049	<16.00	<0.0049
332320256-0002										
231122-PP-03A	SOUTH OF RESTROOM BLDG. WEST OF PICNIC TABLE	1230.00	0.0635	0	None Detected	0	0	0.0049	<16.00	<0.0049
332320256-0003										
231122-PP-04A	FIELD BLANK	0.00			Not Analyzed					N/A
332320256-0004										

Analyst(s)

Jeffrey Deboo (3)

Michael Chapman, Laboratory Manager  
or other approved signatory

LA Testing maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by LA Testing. LA Testing bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. Results reported in structures/cm3 are not covered by the laboratory's NVLAP accreditation. Measurement of uncertainty available upon request.

Samples analyzed by LA Testing Huntington Beach, CA NVLAP Lab Code 101384-0

Initial report from: 11/24/2023 09:26 AM





# LA Testing

5431 Industrial Drive Huntington Beach, CA 92649

Tel/Fax: (714) 828-4999 / (714) 828-4944

<http://www.LATesting.com> / [hblab@latesting.com](mailto:hblab@latesting.com)

LA Testing Order: 332320257

Customer ID: 32HEAL56

Customer PO: 240037LA

Project ID:

**Attention:** Joel Berman  
Health Science Associates  
10771 Noel Street  
Los Alamitos, CA 90720

**Phone:** (714) 220-3922

**Fax:**

**Received Date:** 11/22/2023 12:55 PM

**Analysis Date:** 11/24/2023

**Collected Date:** 11/22/2023

**Project:** 230037LA

## Test Report: Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Appendix A to Subpart E

Sample	Location	Volume (Liters)	Area Analyzed (mm <sup>2</sup> )	Non Asb	Asbestos Type(s)	#Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration	
						≥0.5μ < 5μ	≥5μ		(S/mm <sup>2</sup> )	(S/cc)
231122-SM-01A	NORTH WEST AT RESTROOM BLDG. AT TABLE	1410.00	0.0635	0	None Detected	0	0	0.0043	<16.00	<0.0043
332320257-0001										
231122-SM-02A	NORTH OF RESTROOM BLDG. NEAR BASKETBALL COURT	1410.00	0.0635	0	None Detected	0	0	0.0043	<16.00	<0.0043
332320257-0002										
231122-SM-03A	SOUTH WEST OF RESTROOM BLDG.	1410.00	0.0635	0	None Detected	0	0	0.0043	<16.00	<0.0043
332320257-0003										
231122-SM-04A	FIELD BLANK	0.00			Not Analyzed					N/A
332320257-0004										

Analyst(s)

Jeffrey Deboo (3)

Michael Chapman, Laboratory Manager  
or other approved signatory

LA Testing maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by LA Testing. LA Testing bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. Results reported in structures/cm<sup>3</sup> are not covered by the laboratory's NVLAP accreditation. Measurement of uncertainty available upon request.

Samples analyzed by LA Testing Huntington Beach, CA NVLAP Lab Code 101384-0

Initial report from: 11/24/2023 09:46 AM